

FIG. 1

2-A: TRANSMITTING APPARATUS A

2-B: TRANSMITTING APPARATUS B

2-C: TRANSMITTING APPARATUS C

2-N: TRANSMITTING APPARATUS N

WIRELESS COMMUNICATION LINE (TRANSMITTAL SIGNALS) (無線通信
回線 (伝送信号))

3: RECEIVING APPARATUS

RADIO COMMUNICATION SYSTEM 1

FIG. 2

TRANSMITTAL DATA (伝送データ)

200: ENCODING CIRCUIT

FRAME SIGNAL (フレーム信号)

202: MULTIPLEXING CIRCUIT

TRANSMITTING DATA (送信データ)

204: TIMING CIRCUIT

UNIQUE WORD (ユニークワード)

206: UNIQUE WORD GENERATING CIRCUIT

208: MODULATING CIRCUIT

210: TRANSMITTING CIRCUIT

BASE BAND SIGNAL (ベースバンド信号)

TRANSMITTAL SIGNAL (伝送信号)

TRANSMITTING APPARATUS 2

FIG. 3

FRAME (フレーム)

PREAMBLE (UNIQUE WORD) (プリアンブル (ユニークワード))
TRANSMITTAL DATA (伝送データ)

FIG. 4

TRANSMITTAL SIGNAL (伝送信号)
300: RECEIVING CIRCUIT
IF DATA (IFデータ)
DSP CIRCUIT (DSP回路)
32: FORMULA SELECTING SECTION
UNIQUE WORD (FORMULA TYPE DATA) (ユニークワード ((方式種別))
302: DECODING SECTION
304: TIMING GENERATING SECTION
RECEIVED DATA (受信データ)
TIMING (タイミング)
306: DATA SEPARATING SECTION
308: DATA DECODING SECTION
TRANSMITTAL DATA (伝送データ)
RECEIVING APPARATUS 3

FIG. 5

UNIQUE WORD STORAGE SECTION 340
UNIQUE WORDS A THROUGH N
RECEIVED DATA (受信データ)
CORRELATION DETECTING SECTION 36
CORRELATIONS A THROUGH N
FORMULA DISTINGUISHING SECTION 342
FORMULA TYPE (方式種別)

THRESHOLDS A THROUGH N
PROCESSING CONTROL SECTION 346
THRESHOLD STORAGE SECTION 344
FORMULA DISTINGUISHING PROGRAM 34

FIG. 6

(A) FRAME

THRESHOLD A

(B) CORRELATION A

THRESHOLD B

(C) CORRELATION B

THRESHOLD N

(D) CORRELATION N

(E) FORMULA TYPE (UNIQUE WORD)

FIG. 7

UNIQUE WORD STORAGE SECTION 340

UNIQUE WORDS A THROUGH N

RECEIVED DATA (受信データ)

CORRELATION DETECTING SECTION 36

CORRELATIONS A THROUGH N

FORMULA DISTINGUISHING SECTION 342

FORMULA TYPE (方式種別)

THRESHOLDS A' THROUGH N'

PROCESSING CONTROL SECTION 346

THRESHOLD ALTERING SECTION 380

THRESHOLDS A THROUGH N

THRESHOLD STORAGE SECTION 344
FORMULA DISTINGUISHING PROGRAM 38

FIG. 8

(A) FRAME

THRESHOLD A

THRESHOLD A'

(B) CORRELATION A

THRESHOLD B

THRESHOLD B'

(C) CORRELATION B

THRESHOLD N

THRESHOLD N'

(D) CORRELATION N

(E) FORMULA TYPE (UNIQUE WORD)

FIG. 9

START (開始)

S100 READ INITIAL THRESHOLD

S102 INPUT IF DATA

S104 IF DATA NORMAL

S106 DETECT CORRELATION

S108 DISTINGUISH FORMULA (UNIQUE WORD)

S110 SUCCEEDED IN DISTINGUISHING?

S112 OUTPUT FORMULA TYPE

S114 ALTER THRESHOLD (EXPAND RANGE) OF DETERMINED FORMULA

S116 ALTER THRESHOLDS (NARROW RANGE) OF OTHERS THAN DETERMINED

FORMULA

S118 START EXCEPTION PROCESSING?

S120 PERFORM EXCEPTION PROCESSING

FIG. 10

(A) FRAME

UPPER LIMIT (上限値)

(B) CORRELATION A

THRESHOLD A, LOWER LIMIT (閾値 A、下限値)

THRESHOLD B, UPPER LIMIT (閾値 B、上限値)

THRESHOLD B'

(C) CORRELATION B

LOWER LIMIT (下限値)


THRESHOLD N, LOWER LIMIT (閾値 N、下限値)

THRESHOLD N' (閾値 N')

LOWER LIMIT (下限値)


(D) CORRELATION N

(E) FORMULA TYPE (UNIQUE WORD)



RADIO COMMUNICATION SYSTEM 1

Fig. 1



TRANSMITTING APPARATUS 2

FIG. 2






FIG. 3



RECEIVING APPARATUS 300

FIG. 4



FORMULA DISTINGUISHING PROGRAM 34

FIG. 5





FIG. 6



FORMULA DISTINGUISHING PROGRAM 38

FIG. 7





FIG. 8



S10

FIG. 9

(A) FRAME	A											
	UW	DATA	UW	DATA	UW	DATA	UW	DATA	UW	DATA	UW	DATA
(B) CORRELATION A		UPPER LIMIT										
		THRESHOLD A, LOWER LIMIT										
		THRESHOLD B, UPPER LIMIT										
(C) CORRELATION B		LOWER LIMIT										
		THRESHOLD N, LOWER LIMIT										
		LOWER LIMIT										
(D) CORRELATION N												
(E) FORMULA TYPE (UNIQUE WORD)				A								

FIG. 10